



SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	HDH Limited Slip
Other means of identification	Not available
Recommended use	Lubricant
Recommended restrictions	None known.
Manufacturer information	Irving Blending & Packaging PO Box 1169 Saint John, NB E2L 4E6 CA Phone: 1.800.574.5823 Emergency Phone: 1.506.648.3060
Supplier	See above.

2. Hazards Identification

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
Environmental hazards	Not classified.	
WHMIS 2015 defined hazards	Not classified	
Label elements		



Signal word	Warning
Hazard statement	May cause an allergic skin reaction.
Precautionary statement	
Prevention	Avoid breathing mist or vapor. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.
Response	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)	None known
WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)	None known
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy		64742-70-7	90-95
Amines, C12-14-tert-alkyl		68955-53-3	0.6

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
-------------------	--

Skin contact	IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see information on this label). Take off contaminated clothing and wash it before reuse.
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Do not induce vomiting. Get medical attention if symptoms occur. Rinse mouth with water, then drink one or two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause an allergic skin reaction. Dermatitis. Rash. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	Wash contaminated clothing before reuse.

5. Fire Fighting Measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Not available

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Use water spray to reduce vapors or divert vapor cloud drift. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling	Provide adequate ventilation. Avoid breathing mist or vapor. Avoid contact with eyes, skin and clothing. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure Controls/Personal Protection

Occupational exposure limits

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	STEL	10 mg/m3	Mist.

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Type	Value	Form
	TWA	5 mg/m3	Mist.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Type	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	TWA	5 mg/m3	Inhalable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Type	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

Components	Type	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	PEL	5 mg/m3	Mist.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Canada - Alberta OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Ethyl acrylate (CAS 140-88-5) Can be absorbed through the skin.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Safety goggles or glasses.
Skin protection	
Hand protection	Impervious gloves. Confirm with reputable supplier first.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Not available.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace.

9. Physical and Chemical Properties

Appearance	Liquid
Physical state	Liquid.
Form	Liquid.
Color	Brown
Odor	Pungent
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	-27.4 °F (-33 °C)
Specific gravity	0.88 - 0.9 @ 15°C
Partition coefficient (n-octanol/water)	Not available.
Flash point	431.6 °F (222.0 °C) Cleveland Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	< 0.1 mm Hg @ 20°C
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	Negligible
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	125 cSt @ 40°C

10. Stability and Reactivity

Reactivity	This product may react with oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Avoid temperatures exceeding the flash point. Keep away from extreme heat.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulfur. Oxides of phosphorus.

11. Toxicological Information

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.
Inhalation No adverse effects due to inhalation are expected.
Skin contact May cause an allergic skin reaction.
Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction.

Information on toxicological effects

Acute toxicity May cause an allergic skin reaction.

Components	Species	Test Results
------------	---------	--------------

Amines, C12-14-tert-alkyl (CAS 68955-53-3)

Acute

Dermal

LD50	Rat	251 mg/kg
------	-----	-----------

Inhalation

LC50	Rat	> 1 mg/L
------	-----	----------

Oral

LD50	Rat	612 mg/kg
------	-----	-----------

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Acute

Inhalation

LC50	Not available	
------	---------------	--

Oral

LD50	Not available	
------	---------------	--

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available.

Erythema value Not available.

Oedema value Not available.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available.

Iris lesion value Not available.

Conjunctival reddening value Not available.

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

ACGIH sensitization

Propylene oxide (CAS 75-56-9)	Dermal sensitization
-------------------------------	----------------------

Canada - British Columbia OELs: Respiratory or skin sensitiser

Ethyl acrylate (CAS 140-88-5)	Capable of causing respiratory, dermal or conjunctival sensitization.
-------------------------------	---

Propylene oxide (CAS 75-56-9)	Capable of causing respiratory, dermal or conjunctival sensitization.
-------------------------------	---

Canada - Manitoba OELs Hazard: Dermal sensitization

Propylene oxide (CAS 75-56-9)	Dermal sensitization
-------------------------------	----------------------

Canada - Saskatchewan OELs Hazard Data: Sensitiser

Propylene oxide (CAS 75-56-9)	Sensitizer.
-------------------------------	-------------

Respiratory sensitization Not available.

Skin sensitization May cause an allergic skin reaction.

Mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, NTP, or OSHA.

ACGIH Carcinogens

1,4-Dioxane (CAS 123-91-1)	A3 Confirmed animal carcinogen with unknown relevance to humans.
Ethyl acrylate (CAS 140-88-5)	A4 Not classifiable as a human carcinogen.
Oxirane (CAS 75-21-8)	A2 Suspected human carcinogen.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	A2 Suspected human carcinogen.
Propylene oxide (CAS 75-56-9)	A4 Not classifiable as a human carcinogen. A3 Confirmed animal carcinogen with unknown relevance to humans.

Canada - Alberta OELs: Carcinogen category

Oxirane (CAS 75-21-8)	Suspected human carcinogen.
-----------------------	-----------------------------

Canada - Manitoba OELs: carcinogenicity

1,4-DIOXANE (CAS 123-91-1)	Confirmed animal carcinogen with unknown relevance to humans.
ETHYL ACRYLATE (CAS 140-88-5)	Not classifiable as a human carcinogen.
ETHYLENE OXIDE (CAS 75-21-8)	Suspected human carcinogen.
MINERAL OIL, EXCLUDING METAL WORKING FLUIDS, POORLY AND MILDLY REFINED (CAS 64742-70-7)	Suspected human carcinogen.
MINERAL OIL, EXCLUDING METAL WORKING FLUIDS, PURE, HIGHLY AND SEVERELY REFINED, INHALABLE FRACTION (CAS 64742-70-7)	Not classifiable as a human carcinogen.
PROPYLENE OXIDE (CAS 75-56-9)	Confirmed animal carcinogen with unknown relevance to humans.

Canada - Quebec OELs: Carcinogen category

1,4-Dioxane (CAS 123-91-1)	Detected carcinogenic effect in animals.
Ethyl acrylate (CAS 140-88-5)	Detected carcinogenic effect in animals.
Oxirane (CAS 75-21-8)	Suspected carcinogenic effect in humans.
Propylene oxide (CAS 75-56-9)	Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,4-Dioxane (CAS 123-91-1)	Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
Ethyl acrylate (CAS 140-88-5)	Volume 39, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
Oxirane (CAS 75-21-8)	Volume 97, Volume 100F 1 Carcinogenic to humans.
Propylene oxide (CAS 75-56-9)	Volume 60 - 2B Possibly carcinogenic to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US NTP Report on Carcinogens: Anticipated carcinogen

1,4-Dioxane (CAS 123-91-1)	Reasonably Anticipated to be a Human Carcinogen.
Propylene oxide (CAS 75-56-9)	Reasonably Anticipated to be a Human Carcinogen.

US NTP Report on Carcinogens: Known carcinogen

Oxirane (CAS 75-21-8)	Known To Be Human Carcinogen.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)	Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Oxirane (CAS 75-21-8)	Cancer
-----------------------	--------

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Teratogenicity	Not available.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Long-term intensive exposure to oil mist may cause benign lung fibrosis.

12. Ecological Information

Ecotoxicity	Not available.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Mobility in general	Not available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

Transport of Dangerous Goods (TDG) Proof of Classification In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue.

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (SOR/2015-17) and the SDS contains all the information required by the HPR.

Canada CEPA Schedule I: Listed substance

Oxirane (CAS 75-21-8) Listed.
Propylene oxide (CAS 75-56-9) Listed.

Canada DSL Challenge Substances: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Ethyl acrylate (CAS 140-88-5) Listed.
Propylene oxide (CAS 75-56-9) Listed.

Canada Priority Substances List (Second List): Listed substance

Oxirane (CAS 75-21-8) Listed.

Canada SNAc Reporting Requirements: Listed substance/Publication date

Propylene oxide (CAS 75-56-9) 12/21/2011 Listed.

Export Control List (CEPA 1999, Schedule 3)

Oxirane (CAS 75-21-8) Substance subject to notification or consent.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

WHMIS 2015 Exemptions Not applicable

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-Dioxane (CAS 123-91-1) Listed.
Ethyl acrylate (CAS 140-88-5) Listed.
Oxirane (CAS 75-21-8) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Oxirane (CAS 75-21-8) 10 LBS
Propylene oxide (CAS 75-56-9) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Oxirane (CAS 75-21-8) Cancer
Reproductive toxicity
Mutagenicity
Central nervous system
Skin sensitization

Skin irritation
Eye irritation
respiratory tract irritation
Acute toxicity
Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US state regulations

US - California Hazardous Substances (Director's): Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Ethyl acrylate (CAS 140-88-5) Listed.
Oxirane (CAS 75-21-8) Listed.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US - Illinois Chemical Safety Act: Listed substance

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US - Louisiana Spill Reporting: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Ethyl acrylate (CAS 140-88-5) Listed.
Oxirane (CAS 75-21-8) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US - Minnesota Haz Subs: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Ethyl acrylate (CAS 140-88-5) Listed.
Oxirane (CAS 75-21-8) Listed.
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US - New Jersey RTK - Substances: Listed substance

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US - North Carolina Toxic Air Pollutants: Listed substance

1,4-Dioxane (CAS 123-91-1)
Oxirane (CAS 75-21-8)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US - Texas Effects Screening Levels: Listed substance

- 1,4-Dioxane (CAS 123-91-1) Listed.
- 9-Octadecen-1-amine,- (CAS 112-90-3) Listed.
- Amines, C12-14-tert-alkyl (CAS 68955-53-3) Listed.
- Ethyl acrylate (CAS 140-88-5) Listed.
- Oxirane (CAS 75-21-8) Listed.
- Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7) Listed.
- Propylene oxide (CAS 75-56-9) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

- 1,4-Dioxane (CAS 123-91-1)

US. Massachusetts RTK - Substance List

- 1,4-Dioxane (CAS 123-91-1)
- Ethyl acrylate (CAS 140-88-5)
- Oxirane (CAS 75-21-8)
- Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)
- Propylene oxide (CAS 75-56-9)

US. New Jersey Worker and Community Right-to-Know Act

- 1,4-Dioxane (CAS 123-91-1)
- Ethyl acrylate (CAS 140-88-5)
- Oxirane (CAS 75-21-8)
- Propylene oxide (CAS 75-56-9)

US. Pennsylvania Worker and Community Right-to-Know Law

- 1,4-Dioxane (CAS 123-91-1)
- Ethyl acrylate (CAS 140-88-5)
- Oxirane (CAS 75-21-8)
- Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)
- Propylene oxide (CAS 75-56-9)

US. Rhode Island RTK

- 1,4-Dioxane (CAS 123-91-1)
- Ethyl acrylate (CAS 140-88-5)
- Oxirane (CAS 75-21-8)
- Propylene oxide (CAS 75-56-9)

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

- 1,4-Dioxane (CAS 123-91-1) Listed: January 1, 1988
- Ethyl acrylate (CAS 140-88-5) Listed: July 1, 1989
- Oxirane (CAS 75-21-8) Listed: July 1, 1987
- Propylene oxide (CAS 75-56-9) Listed: October 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

- Oxirane (CAS 75-21-8) Listed: August 7, 2009

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

- Oxirane (CAS 75-21-8) Listed: February 27, 1987

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

- Oxirane (CAS 75-21-8) Listed: August 7, 2009

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	* 1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

23-June-2016

Version #

01

Effective date

23-June-2016

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.