

1. Product and Company Identification

| | |
|--------------------------------------|---|
| Product identifier | Compressor Oil - 10 |
| Other means of identification | Not available |
| Recommended use | Lubricant |
| Recommended restrictions | None known. |
| Manufacturer information | Irving Blending & Packaging PO Box 1169 Saint John, NB E2L 4E6 CA Phone: 1.800.574.5823 Emergency Phone: 1.506.648.3060 |
| Supplier | See above. |

2. Hazards Identification

| | | |
|-----------------------------------|-------------------|------------|
| Physical hazards | Not classified. | |
| Health hazards | Aspiration hazard | Category 1 |
| Environmental hazards | Not classified. | |
| WHMIS 2015 defined hazards | Not classified | |
| Label elements | | |



| | |
|--|---|
| Signal word | Danger |
| Hazard statement | May be fatal if swallowed and enters airways. |
| Precautionary statement | |
| Prevention | Observe good industrial hygiene practices. |
| Response | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC) | None known |
| WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC) | None known |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | Not applicable. |

3. Composition/Information on Ingredients

Mixture

| Chemical name | Common name and synonyms | CAS number | % |
|---|--------------------------|------------|------|
| Distillates (petroleum), solvent-refined light paraffinic | | 64741-89-5 | 98.5 |

4. First Aid Measures

| | |
|---------------------|--|
| Inhalation | Remove affected person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| Skin contact | Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists. |
| Eye contact | Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately. |

| | |
|---|--|
| Ingestion | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Aspiration may cause pulmonary edema and pneumonitis. |
| Most important symptoms/effects, acute and delayed | Direct contact with eyes may cause temporary irritation. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. |

5. Fire Fighting Measures

| | |
|--|---|
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Fire-fighting equipment/instructions | Move containers from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |
| Hazardous combustion products | Not available |

6. Accidental Release Measures

| | |
|--|--|
| Personal precautions, protective equipment and emergency procedures | Keep out of low areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without risk. Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |

7. Handling and Storage

| | |
|---|--|
| Precautions for safe handling | Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Use care in handling/storage. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value | Form |
|--|------|---------|-------|
| Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) | PEL | 5 mg/m3 | Mist. |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|--|------|---------|---------------------|
| Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) | TWA | 5 mg/m3 | Inhalable fraction. |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value | Form |
|--|------|----------|-------|
| Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) | STEL | 10 mg/m3 | Mist. |
| | TWA | 5 mg/m3 | Mist. |

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**Canada - Alberta OELs: Skin designation**

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - British Columbia OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Manitoba OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Ontario OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Quebec OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Canada - Saskatchewan OELs: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Safety goggles or glasses.

Skin protection**Hand protection**

Impervious gloves. Confirm with reputable supplier first.

Other

Wear appropriate chemical resistant clothing.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards

Not applicable.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

| | |
|--|--|
| Appearance | Liquid |
| Physical state | Liquid. |
| Form | Liquid. |
| Color | Yellow |
| Odor | Petroleum |
| Odor threshold | Not available. |
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Pour point | Not available. |
| Specific gravity | 0.85 - 0.88 |
| Partition coefficient (n-octanol/water) | Not available. |
| Flash point | 356.0 °F (180.0 °C) Cleveland Open Cup |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |

Upper/lower flammability or explosive limits

| | |
|---------------------------------------|---------------------|
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | < 0.1 mm Hg @ 20°C |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | Negligible |
| Auto-ignition temperature | > 572 °F (> 300 °C) |
| Decomposition temperature | Not available. |
| Viscosity | 9.6 cSt @ 40°C |
| Other information | |
| Percent volatile | 0 % |

10. Stability and Reactivity

| | |
|---|---|
| Reactivity | This product may react with oxidizing agents. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Chemical stability | Material is stable under normal conditions. |
| Conditions to avoid | Keep away from extreme heat. Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulfur. Oxides of phosphorus. |

11. Toxicological Information

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

| | |
|---------------------|--|
| Ingestion | May be fatal if swallowed and enters airways. |
| Inhalation | May be fatal if swallowed and enters airways. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

| Components | Species | Test Results |
|--|----------------|---|
| Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | > 5000 mg/kg |
| <i>Inhalation</i> | | |
| LC50 | Rat | > 5 mg/l/4h 4000 mg/m ³ , 4 Hours |
| <i>Oral</i> | | |
| LD50 | Rat | > 5000 mg/kg 30000 mg/kg |

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

| | |
|-------------------------|----------------|
| Exposure minutes | Not available. |
| Erythema value | Not available. |
| Oedema value | Not available. |

| | | |
|---|--|--|
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation. | |
| Corneal opacity value | Not available. | |
| Iris lesion value | Not available. | |
| Conjunctival reddening value | Not available. | |
| Conjunctival oedema value | Not available. | |
| Recover days | Not available. | |
| Respiratory or skin sensitization | | |
| ACGIH sensitization | | |
| Propylene oxide (CAS 75-56-9) | Dermal sensitization | |
| Respiratory sensitization | Not available. | |
| Skin sensitization | This product is not expected to cause skin sensitization. | |
| Mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. | |
| IARC Monographs. Overall Evaluation of Carcinogenicity | | |
| 1,4-Dioxane (CAS 123-91-1) | Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans. | |
| Arsenic (CAS 7440-38-2) | Volume 23, Supplement 7, Volume 100C 1 Carcinogenic to humans. | |
| Oxirane (CAS 75-21-8) | Volume 97, Volume 100F 1 Carcinogenic to humans. | |
| Propylene oxide (CAS 75-56-9) | Volume 60 - 2B Possibly carcinogenic to humans. | |
| US - California Proposition 65 - CRT: Listed date/Carcinogenic substance | | |
| 1,4-Dioxane (CAS 123-91-1) | | |
| Arsenic (CAS 7440-38-2) | | |
| Oxirane (CAS 75-21-8) | | |
| Propylene oxide (CAS 75-56-9) | | |
| US NTP Report on Carcinogens: Anticipated carcinogen | | |
| 1,4-Dioxane (CAS 123-91-1) | Reasonably Anticipated to be a Human Carcinogen. | |
| Propylene oxide (CAS 75-56-9) | Reasonably Anticipated to be a Human Carcinogen. | |
| US NTP Report on Carcinogens: Known carcinogen | | |
| Arsenic (CAS 7440-38-2) | Known To Be Human Carcinogen. | |
| Oxirane (CAS 75-21-8) | Known To Be Human Carcinogen. | |
| US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) | | |
| Arsenic (CAS 7440-38-2) | Cancer | |
| Oxirane (CAS 75-21-8) | Cancer | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | |
| Teratogenicity | Not available. | |
| Specific target organ toxicity - single exposure | Not classified. | |
| Specific target organ toxicity - repeated exposure | Not classified. | |
| Aspiration hazard | May be fatal if swallowed and enters airways. | |
| Chronic effects | Prolonged inhalation may be harmful. Long-term intensive exposure to oil mist may cause benign lung fibrosis. | |

12. Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Ecotoxicological data

| Components | Species | Test Results |
|----------------------------|---------|--|
| 1,4-Dioxane (CAS 123-91-1) | | |
| Aquatic | | |
| Fish | LC50 | Inland silverside (<i>Menidia beryllina</i>) 6700 mg/L, 96 hours |
| Arsenic (CAS 7440-38-2) | | |
| Aquatic | | |
| Fish | LC50 | Fathead minnow (<i>Pimephales promelas</i>) 9.9 mg/L, 96 hours |

| Components | Species | Test Results |
|--|---|---------------------|
| Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) | | |
| Crustacea | EC50 | Daphnia |
| | | 1000 mg/L, 48 Hours |
| Propylene oxide (CAS 75-56-9) | | |
| Crustacea | EC50 | Daphnia |
| | | 350 mg/L, 48 Hours |
| Persistence and degradability | No data is available on the degradability of this product. | |
| Bioaccumulative potential | No data available. | |
| Mobility in soil | No data available. | |
| Mobility in general | Not available. | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |

13. Disposal Considerations

| | |
|--|--|
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

14. Transport Information

| | |
|---|---|
| Transport of Dangerous Goods (TDG) Proof of Classification | In accordance with Part 2.2.1 (SOR/2014-152) of the Transportation of Dangerous Goods Regulations, we certify that the classification of this product is correct as of the SDS date of issue. |
| U.S. Department of Transportation (DOT) | Not regulated as dangerous goods. |
| Transportation of Dangerous Goods (TDG - Canada) | Not regulated as dangerous goods. |

15. Regulatory Information

| | | |
|--|--|---|
| Canadian federal regulations | This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR. | |
| Canada CEPA Schedule I: Listed substance | | |
| Arsenic (CAS 7440-38-2) | | Listed. |
| Oxirane (CAS 75-21-8) | | Listed. |
| Propylene oxide (CAS 75-56-9) | | Listed. |
| Canada Priority Substances List (Second List): Listed substance | | |
| Oxirane (CAS 75-21-8) | | Listed. |
| Canada SNAc Reporting Requirements: Listed substance/Publication date | | |
| Propylene oxide (CAS 75-56-9) | | 12/21/2011 LISTED |
| Export Control List (CEPA 1999, Schedule 3) | | |
| Oxirane (CAS 75-21-8) | | Substance subject to notification or consent. |
| Greenhouse Gases | | |
| | | Not listed. |
| Precursor Control Regulations | | |
| | | Not regulated. |
| WHMIS 2015 Exemptions | Not applicable | |
| US federal regulations | This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. | |
| TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) | Not regulated. | |
| CERCLA Hazardous Substance List (40 CFR 302.4) | | |
| 1,4-Dioxane (CAS 123-91-1) | | Listed. |
| Arsenic (CAS 7440-38-2) | | Listed. |
| Oxirane (CAS 75-21-8) | | Listed. |
| Propylene oxide (CAS 75-56-9) | | Listed. |

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Oxirane (CAS 75-21-8) 10 LBS
Propylene oxide (CAS 75-56-9) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Arsenic (CAS 7440-38-2) Cancer
Oxirane (CAS 75-21-8) Cancer
Arsenic (CAS 7440-38-2) Liver
Oxirane (CAS 75-21-8) Reproductive toxicity
Arsenic (CAS 7440-38-2) Skin
Oxirane (CAS 75-21-8) Mutagenicity
Arsenic (CAS 7440-38-2) Respiratory irritation
Oxirane (CAS 75-21-8) Central nervous system
Arsenic (CAS 7440-38-2) Nervous system
Oxirane (CAS 75-21-8) Skin sensitization
Arsenic (CAS 7440-38-2) Acute toxicity
Oxirane (CAS 75-21-8) Skin irritation
Eye irritation
respiratory tract irritation
Acute toxicity
Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

Safe Drinking Water Act (SDWA) Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Oxirane (CAS 75-21-8) Other Flavoring Substances with OSHA PEL's

Food and Drug Administration (FDA) Not regulated.

US state regulations

US - California Hazardous Substances (Director's): Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Arsenic (CAS 7440-38-2) Listed.
Benzenamine, N-phenyl- (CAS 122-39-4) Listed.
Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) Listed.
Oxirane (CAS 75-21-8) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US - Illinois Chemical Safety Act: Listed substance

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US - Louisiana Spill Reporting: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Arsenic (CAS 7440-38-2) Listed.
Oxirane (CAS 75-21-8) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US - Michigan Critical Materials Register: Parameter number

Arsenic (CAS 7440-38-2) ARSENIC

US - Minnesota Haz Subs: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Arsenic (CAS 7440-38-2) Listed.
Benzenamine, N-phenyl- (CAS 122-39-4) Listed.
Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) Listed.
Oxirane (CAS 75-21-8) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US - New Jersey RTK - Substances: Listed substance

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Benzenamine, N-phenyl- (CAS 122-39-4)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US - North Carolina Toxic Air Pollutants: Listed substance

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Oxirane (CAS 75-21-8)

US - Texas Effects Screening Levels: Listed substance

1,4-Dioxane (CAS 123-91-1) Listed.
Arsenic (CAS 7440-38-2) Listed.
Benzenamine, N-phenyl- (CAS 122-39-4) Listed.
Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5) Listed.
Oxirane (CAS 75-21-8) Listed.
Propylene oxide (CAS 75-56-9) Listed.

US - Washington Chemical of High Concern to Children: Listed substance

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)

US. Massachusetts RTK - Substance List

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Benzenamine, N-phenyl- (CAS 122-39-4)
Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US. New Jersey Worker and Community Right-to-Know Act

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Benzenamine, N-phenyl- (CAS 122-39-4)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US. Pennsylvania RTK - Hazardous Substances

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Benzenamine, N-phenyl- (CAS 122-39-4)
Distillates (petroleum), solvent-refined light paraffinic (CAS 64741-89-5)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US. Rhode Island RTK

1,4-Dioxane (CAS 123-91-1)
Arsenic (CAS 7440-38-2)
Benzenamine, N-phenyl- (CAS 122-39-4)
Oxirane (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

| | |
|-------------------------------|---------------------------|
| 1,4-Dioxane (CAS 123-91-1) | Listed: January 1, 1988 |
| Arsenic (CAS 7440-38-2) | Listed: February 27, 1987 |
| Oxirane (CAS 75-21-8) | Listed: July 1, 1987 |
| Propylene oxide (CAS 75-56-9) | Listed: October 1, 1988 |

US - California Proposition 65 - CRT: Listed date/Developmental toxin

| | |
|-----------------------|------------------------|
| Oxirane (CAS 75-21-8) | Listed: August 7, 2009 |
|-----------------------|------------------------|

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

| | |
|-----------------------|---------------------------|
| Oxirane (CAS 75-21-8) | Listed: February 27, 1987 |
|-----------------------|---------------------------|

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

| | |
|-----------------------|------------------------|
| Oxirane (CAS 75-21-8) | Listed: August 7, 2009 |
|-----------------------|------------------------|

Inventory status


| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|---------------------|-----|
| HEALTH | / 2 |
| FLAMMABILITY | 1 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | X |



Disclaimer

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

05-April-2016

Version #

02

Effective date

05-April-2016

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021

Other information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.