

SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Cobra Hydraulic 46 - US only

Other means of identification Not available Recommended use Lubricant Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Coastal Blending & Packaging

Address PO Box 1169

Saint John, NB E2L 4E6

Canada

Telephone Phone: 1.800.574.5823

E-mail MSDS@irvingblend.com

Emergency phone number Emergency Phone: 1.800.424.9300 (CHEMTREC)

Emergency Phone: 1.506.648.3060

2. Hazards Identification

Physical hazardsNot classified.Health hazardsNot classified.Environmental hazardsNot classified.OSHA defined hazardsNot classified.

Label elements

Hazard symbol None.
Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%	
2,6-Di-tert-butylphenol		128-39-2	0.1-1*	
Base oil		Trade Secret	80-100*	
Paraffin Oils (petroleum), Catalytic Dewaxed Heavy		64742-70-7	1-5*	
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)-		4259-15-8	0.1-1*	

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

	4. First Aid Measures			
Inhalation	If breathing is difficult, remove to fresh air and Call a physician if symptoms develop or persis		sition comfortable for breathing.	
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.			
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medica attention if irritation persists.			
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.			
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.			
Indication of immediate medical attention and special treatment needed	Treat patient symptomatically.			
General information	Ensure that medical personnel are aware of the protect themselves.	e material(s) involve	ed and take precautions to	
	5. Fire Fighting Measure	S		
Suitable extinguishing media	Dry chemical powder. Water fog. Foam. Carbo	n dioxide.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.			
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.			
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.			
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.			
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.			
General fire hazards	No unusual fire or explosion hazards noted.			
	6. Accidental Release Meas	ures		
Personal precautions, protective equipment and emergency procedures	Keep out of low areas. Keep unnecessary pers spill/leak. Do not touch damaged containers or protective clothing. For personal protection, se	spilled material unl	ess wearing appropriate	
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk.			
oonaaaaa aa	Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water			
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece).	Clean surface thoroughly to	
	Never return spills to original containers for re-	containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.			
	7. Handling and Storage	9		
Precautions for safe handling	Avoid prolonged exposure. Use care in handling/storage. Avoid contact with eyes, skin and clothing.			
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).			
	8. Exposure Controls/Personal P	rotection		
Occupational exposure limits	•			
	or Air Contaminants (29 CFR 1910.1000)	Value	Form	
US. OSHA Table Z-1 Limits for Components	Туре	Value	FOIIII	
	Type PEL	5 mg/m3	Mist.	
Components				
Components Paraffin Oils (petroleum), Catalytic Dewaxed Heavy	PEL			

US. ACGIH Threshold Limit Values

ComponentsTypeValueFormParaffin Oils (petroleum),
Catalytic Dewaxed HeavyTWA5 mg/m3Inhalable fraction.

(CAS 64742-70-7)

US. NIOSH: Pocket Guide to Chemical Hazards

ComponentsTypeValueFormParaffin Oils (petroleum),
Catalytic Dewaxed Heavy
(CAS 64742-70-7)STEL10 mg/m3Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1) Can be absorbed through the skin.

TWA

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1)

Can be absorbed through the skin.

Ethyl acrylate (CAS 140-88-5)

Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

5 mg/m3

Mist.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended.

Skin protection

Hand protection Wear protective gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use appropriate

certified respirators.

Thermal hazards Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance Liquid Physical state Liquid. **Form** Liquid. Color Red Petroleum Odor **Odor threshold** Not available. Not available. Ηа Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Pour point -45.4 °F (-43 °C)
Specific gravity Not available.

Partition coefficient Not available.

(n-octanol/water)

Flash point 429.8 °F (221.0 °C) Pensky-Martens Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not ava

(%)

Not available.

Flammability limit - upper

%)

Not available.

Explosive limit - lower (%)

Not available.

Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. 0.8554 @ 15°C Relative density Solubility(ies) Negligible **Auto-ignition temperature** Not available. Not available. **Decomposition temperature** 7.3 cSt @ 100°C Viscosity 46 cSt @ 40°C

10. Stability and Reactivity

Reactivity This product may react with strong oxidizing agents.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Chemical stability Material is stable under normal conditions. **Conditions to avoid** Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

May include and are not limited to: Oxides of nitrogen. Oxides of carbon. Oxides of sulfur. Oxides

of phosphorus.

11. Toxicological Information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components Species Test Results

2,6-Di-tert-butylphenol (CAS 128-39-2)

Acute

Dermal

LD50 Rabbit > 10000 mg/kg

Inhalation

LC50 Not available

Oral

LD50 Mouse 2995 mg/kg

Rat > 5000 mg/kg

Base oil (CAS Trade Secret)

Acute

Dermal

LD50 Rabbit > 4480 mg/kg

Rat > 2000 mg/kg

Oral

LD50 Rat > 2000 mg/kg

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg, 24 Hours, ECHA

> 2000 mg/kg, 24 Hours, ECHA

Inhalation

LC50 Rat < 5.7 mg/L, 4 Hours, ECHA

Components	Species	Test Results > 5.5 mg/L, 4 Hours, ECHA	
		> 5.3 mg/L, 4 Hours, ECHA	
		> 5.2 mg/L, 4 Hours, ECHA	
		> 4 mg/L, 4 Hours, ECHA	
		> 3.9 mg/L, 4 Hours, ECHA	
		2.2 mg/L, 4 Hours, ECHA	
<i>Oral</i> LD50	Rat	> 5000 mg/kg, ECHA	
	Nai		
		> 2000 mg/kg, ECHA	
		5000 mg/kg, ECHA	
Zinc, bis[O,O-bis(2-ethylhexyl) pho	sphorodithioato-S,S']-, (T-4)- (C	AS 4259-15-8)	
Acute			
Dermal LD50	Rabbit	> 5000 mg/kg, 24 Hours	
	Rat	5000 mg/kg, 24 Hours	
Oral	- Nai	3000 Hig/kg	
LD50	Rat	2000 - 5000 mg/kg	
		3100 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may ca		
		ause temporary imitation.	
Exposure minutes	Not available.		
Erythema value	Not available.		
Oedema value	Not available.	A company to the street	
Serious eye damage/eye irritation	Direct contact with eyes may c	ause temporary irritation.	
Corneal opacity value	Not available.		
Iris lesion value	Not available.		
Conjunctival reddening value	Not available.		
Conjunctival oedema value	Not available.		
Recover days	Not available.		
Respiratory or skin sensitization			
ACGIH sensitization			
Propylene oxide (CAS 75-	·	Dermal sensitization	
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Contains < 3% (w/w) DMSO-ex	xtract	
ACGIH Carcinogens			
1,4-Dioxane (CAS 123-91	-1)	A3 Confirmed animal carcinogen with unknown relevance to	
Base oil (CAS Trade Secret)		humans. A2 Suspected human carcinogen. A4 Not classifiable as a human carcinogen.	
Ethyl acrylate (CAS 140-88-5)		A4 Not classifiable as a human carcinogen.	
Ethylene glycol (CAS 107	-21-1)	A4 Not classifiable as a human carcinogen.	
Ethylene oxide (CAS 75-2 Paraffin Oils (petroleum), 64742-70-7)		A2 Suspected human carcinogen. A2 Suspected human carcinogen.	
Propylene oxide (CAS 75	-56-9)	A4 Not classifiable as a human carcinogen. A3 Confirmed animal carcinogen with unknown relevance to	
IARC Monographs. Overall E	valuation of Carcinogenicity	humans.	
1,4-Dioxane (CAS 123-91	= -	Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogen to humans.	
Ethyl acrylate (CAS 140-88-5)		Volume 39, Supplement 7, Volume 71 - 2B Possibly carcinogen to humans.	

Ethylene oxide (CAS 75-21-8) Volume 97, Volume 100F 1 Carcinogenic to humans. Propylene oxide (CAS 75-56-9) Volume 60 - 2B Possibly carcinogenic to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1) Ethyl acrylate (CAS 140-88-5) Ethylene oxide (CAS 75-21-8)

Propylene oxide (CAS 75-56-9)

US. National Toxicology Program (NTP) Report on Carcinogens

1,4-Dioxane (CAS 123-91-1) Reasonably Anticipated to be a Human Carcinogen. Base oil (CAS Trade Secret) Known To Be Human Carcinogen.

Ethylene oxide (CAS 75-21-8) Known To Be Human Carcinogen. Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS Known To Be Human Carcinogen.

64742-70-7)

Propylene oxide (CAS 75-56-9) Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not available. **Aspiration hazard**

Ethylene oxide (CAS 75-21-8)

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Test Results Components **Species**

2,6-Di-tert-butylphenol (CAS 128-39-2)

Crustacea Daphnia 0.45 mg/L, 48 Hours

Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (CAS 4259-15-8)

EC50 Daphnia Crustacea 1.25 mg/L, 48 Hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

2,6-Di-tert-butylphenol 4.92

Mobility in soil No data available. Mobility in general Not available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Dispose in accordance with all applicable regulations. Local disposal regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-Dioxane (CAS 123-91-1)Listed.Ethyl acrylate (CAS 140-88-5)Listed.Ethylene glycol (CAS 107-21-1)Listed.Ethylene oxide (CAS 75-21-8)Listed.Propylene oxide (CAS 75-56-9)Listed.Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, Listed.

(T-4)- (CAS 4259-15-8)

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Ethylene oxide (CAS 75-21-8) 10 LBS
Propylene oxide (CAS 75-56-9) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Ethylene oxide (CAS 75-21-8) Cancer

Reproductive toxicity

Mutagenicity

Central nervous system Skin sensitization Skin irritation Eye irritation

respiratory tract irritation

Acute toxicity Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-Dioxane (CAS 123-91-1) Ethyl acrylate (CAS 140-88-5) Ethylene glycol (CAS 107-21-1) Ethylene oxide (CAS 75-21-8) Propylene oxide (CAS 75-56-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ethylene oxide (CAS 75-21-8) Propylene oxide (CAS 75-56-9)

Safe Drinking Water Act Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethyl acrylate (CAS 140-88-5) High priority

Ethylene oxide (CAS 75-21-8) Other Flavoring Substances with OSHA PEL's

Food and Drug Not regulated.

Administration (FDA)

US state regulations

US - Illinois Chemical Safety Act: Listed substance

1,4-Dioxane (CAS 123-91-1) Ethyl acrylate (CAS 140-88-5) Ethylene glycol (CAS 107-21-1) Ethylene oxide (CAS 75-21-8) Propylene oxide (CAS 75-56-9)

```
Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (CAS 4259-15-8)
US - Louisiana Spill Reporting: Listed substance
    1,4-Dioxane (CAS 123-91-1)
                                                           Listed.
    Ethyl acrylate (CAS 140-88-5)
                                                           Listed.
    Ethylene glycol (CAS 107-21-1)
                                                           Listed.
    Ethylene oxide (CAS 75-21-8)
                                                           Listed.
    Propylene oxide (CAS 75-56-9)
                                                           Listed.
    Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, Listed.
    (T-4)- (CAS 4259-15-8)
US - Michigan Critical Materials Register: Parameter number
    Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, ZINC
    (T-4)- (CAS 4259-15-8)
US - Minnesota Haz Subs: Listed substance
    1,4-Dioxane (CAS 123-91-1)
                                                           1,4-DIOXANE (DIETHYLENE DIOXIDE)
                                                           DIETHYLENE DIOXIDE (SEE DIOXANE)
    Ethyl acrylate (CAS 140-88-5)
                                                           ETHYL ACRYLATE
    Ethylene glycol (CAS 107-21-1)
                                                           ETHYLENE GLYCOL, PARTICULATE AND VAPOR
    Ethylene oxide (CAS 75-21-8)
                                                           ETHYLENE OXIDE
    Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS OIL MIST, MINERAL
    64742-70-7)
    Propylene oxide (CAS 75-56-9)
                                                           PROPYLENE OXIDE
US - New Jersey RTK - Substances: Listed substance
    1,4-Dioxane (CAS 123-91-1)
    Ethyl acrylate (CAS 140-88-5)
    Ethylene glycol (CAS 107-21-1)
    Ethylene oxide (CAS 75-21-8)
    Propylene oxide (CAS 75-56-9)
    Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (CAS 4259-15-8)
US - North Carolina Toxic Air Pollutants: Listed substance
    1,4-Dioxane (CAS 123-91-1)
    Ethylene oxide (CAS 75-21-8)
US - Pennsylvania RTK - Hazardous Substances: All compounds of this substance are considered environmental
hazards
    Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (CAS 4259-15-8)
US - Pennsylvania RTK - Hazardous Substances: Special hazard
    1.4-Dioxane (CAS 123-91-1)
    Ethyl acrylate (CAS 140-88-5)
    Ethylene oxide (CAS 75-21-8)
    Propylene oxide (CAS 75-56-9)
US - Washington Chemical of High Concern to Children: Listed substance
    1,4-Dioxane (CAS 123-91-1)
    Ethylene glycol (CAS 107-21-1)
US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)
    Not listed.
US. Massachusetts RTK - Substance List
    1,4-Dioxane (CAS 123-91-1)
    Ethyl acrylate (CAS 140-88-5)
    Ethylene glycol (CAS 107-21-1)
    Ethylene oxide (CAS 75-21-8)
    Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)
    Propylene oxide (CAS 75-56-9)
US. New Jersey Worker and Community Right-to-Know Act
    1,4-Dioxane (CAS 123-91-1)
    Ethyl acrylate (CAS 140-88-5)
    Ethylene glycol (CAS 107-21-1)
    Ethylene oxide (CAS 75-21-8)
    Propylene oxide (CAS 75-56-9)
    Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (CAS 4259-15-8)
US. Pennsylvania RTK - Hazardous Substances
    1,4-Dioxane (CAS 123-91-1)
    Ethyl acrylate (CAS 140-88-5)
    Ethylene glycol (CAS 107-21-1)
    Ethylene oxide (CAS 75-21-8)
    Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)
    Propylene oxide (CAS 75-56-9)
    Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (CAS 4259-15-8)
```

US. Pennsylvania Worker and Community Right-to-Know Law

1,4-Dioxane (CAS 123-91-1)

Ethyl acrylate (CAS 140-88-5)

Ethylene glycol (CAS 107-21-1)

Ethylene oxide (CAS 75-21-8)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Propylene oxide (CAS 75-56-9)

Zinc, bis[O,O-bis(2-ethylhexyl) phosphorodithioato-S,S']-, (T-4)- (CAS 4259-15-8)

US. Rhode Island RTK

1,4-Dioxane (CAS 123-91-1) Ethyl acrylate (CAS 140-88-5) Ethylene glycol (CAS 107-21-1)

Ethylene oxide (CAS 75-21-8)

Paraffin Oils (petroleum), Catalytic Dewaxed Heavy (CAS 64742-70-7)

Propylene oxide (CAS 75-56-9)

US. California Proposition 65



WARNING: This product can expose you to chemicals including Ethyl acrylate, which is known to the State of California to cause cancer, and Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

 1,4-Dioxane (CAS 123-91-1)
 Listed: January 1, 1988

 Ethyl acrylate (CAS 140-88-5)
 Listed: July 1, 1989

 Ethylene oxide (CAS 75-21-8)
 Listed: July 1, 1987

 Propylene oxide (CAS 75-56-9)
 Listed: October 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene glycol (CAS 107-21-1)
Ethylene oxide (CAS 75-21-8)
Listed: June 19, 2015
Listed: August 7, 2009
US - California Proposition 65 - CRT: Listed date/Female reproductive toxin
Ethylene oxide (CAS 75-21-8)
Listed: February 27, 1987

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

Country(s) or region Inventory name On inventory (yes/no)*


United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Yes

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date 16-April-2019

Version # 01

Further information For an updated SDS, please contact the supplier/manufacturer listed on the first page of the

document.

Other information This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication

Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

Prepared by Coastal Blending & Packaging. Phone: (800) 574-5823