



SAFETY DATA SHEET

1. Product and Company Identification

Product identifier	Cobra Hydraulic 32 - US only		
Other means of identification	Not available		
Recommended use	Lubricant		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/Distributor information			
Manufacturer			
Company name	Coastal Blending & Packaging		
Address	PO Box 1169 Saint John, NB E2L 4E6 Canada		
Telephone	Phone:	1.800.574.5823	
E-mail	Not available.		
Emergency phone number	Emergency Phone:	1.506.648.3060	

2. Hazards Identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

3. Composition/Information on Ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
2,6-Di-tert-butylphenol		128-39-2	0.1-1*
Base Oil		Trade Secret	80-100*

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments US GHS: The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.
Eye contact	Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention immediately.
Ingestion	Rinse mouth. Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Never give anything by mouth if victim is unconscious or is convulsing. Obtain medical attention.

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. Fire Fighting Measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	<p>Stop the flow of material, if this is without risk.</p> <p>Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling	Use good industrial hygiene practices in handling this material. Avoid contact with eyes, skin and clothing. When using do not eat or drink. Keep out of reach of children.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Base Oil (CAS Trade Secret)	TWA	5 mg/m ³	Inhalable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

1,4-Dioxane (CAS 123-91-1)	Can be absorbed through the skin.
Phenol (CAS 108-95-2)	Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Phenol (CAS 108-95-2)	Can be absorbed through the skin.
-----------------------	-----------------------------------

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

1,4-Dioxane (CAS 123-91-1)	Can be absorbed through the skin.
Ethyl acrylate (CAS 140-88-5)	Can be absorbed through the skin.
Phenol (CAS 108-95-2)	Can be absorbed through the skin.

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Impervious gloves. Confirm with reputable supplier first.
Other	As required by employer code. Wear suitable protective clothing.
Respiratory protection	Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).
Thermal hazards	Not applicable.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance	Liquid
Physical state	Liquid.
Form	Liquid
Color	Not available.
Odor	Petroleum
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	-41.8 °F (-41 °C)
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	426.2 °F (219.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	0.8503 @ 15°C
Solubility(ies)	Negligible
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	5.7 cSt @ 100°C 32.3 cSt @ 40°C

10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials
Hazardous decomposition products

Strong oxidizing agents.
May include and are not limited to: Oxides of nitrogen. Oxides of sulfur. Oxides of phosphorus. Oxides of carbon.

11. Toxicological Information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.
Skin contact No adverse effects due to skin contact are expected.
Eye contact Direct contact with eyes may cause temporary irritation.
Ingestion May cause stomach distress, nausea or vomiting.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
2,6-Di-tert-butylphenol (CAS 128-39-2)		
Acute <i>Dermal</i> LD50	Rabbit	> 10000 mg/kg
<i>Inhalation</i> LC50	Not available	
<i>Oral</i> LD50	Mouse	2995 mg/kg
	Rat	> 5000 mg/kg
Base Oil (CAS Trade Secret)		
Acute <i>Dermal</i> LD50	Rabbit	> 4480 mg/kg
	Rat	> 2000 mg/kg
<i>Oral</i> LD50	Rat	> 2000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Exposure minutes Not available.
Erythema value Not available.
Oedema value Not available.

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

Corneal opacity value Not available.
Iris lesion value Not available.
Conjunctival reddening value Not available.
Conjunctival oedema value Not available.
Recover days Not available.

Respiratory or skin sensitization

ACGIH sensitization

Propylene oxide (CAS 75-56-9)

Dermal sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity

Contains < 3% (w/w) DMSO-extract

ACGIH Carcinogens

1,4-Dioxane (CAS 123-91-1)

A3 Confirmed animal carcinogen with unknown relevance to humans.

Base Oil (CAS Trade Secret)

A2 Suspected human carcinogen.

Ethyl acrylate (CAS 140-88-5)
 Ethylene glycol (CAS 107-21-1)
 Ethylene oxide (CAS 75-21-8)
 Phenol (CAS 108-95-2)
 Propylene oxide (CAS 75-56-9)

A4 Not classifiable as a human carcinogen.
 A4 Not classifiable as a human carcinogen.
 A4 Not classifiable as a human carcinogen.
 A2 Suspected human carcinogen.
 A4 Not classifiable as a human carcinogen.
 A3 Confirmed animal carcinogen with unknown relevance to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

1,4-Dioxane (CAS 123-91-1) Volume 11, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
 Ethyl acrylate (CAS 140-88-5) Volume 39, Supplement 7, Volume 71 - 2B Possibly carcinogenic to humans.
 Ethylene oxide (CAS 75-21-8) Volume 97, Volume 100F 1 Carcinogenic to humans.
 Phenol (CAS 108-95-2) Volume 47, Volume 71 - 3 Not classifiable as to carcinogenicity to humans.
 Propylene oxide (CAS 75-56-9) Volume 60 - 2B Possibly carcinogenic to humans.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dioxane (CAS 123-91-1)
 Ethyl acrylate (CAS 140-88-5)
 Ethylene oxide (CAS 75-21-8)
 Propylene oxide (CAS 75-56-9)

US. National Toxicology Program (NTP) Report on Carcinogens

1,4-Dioxane (CAS 123-91-1) Reasonably Anticipated to be a Human Carcinogen.
 Base Oil (CAS Trade Secret) Known To Be Human Carcinogen.
 Ethylene oxide (CAS 75-21-8) Known To Be Human Carcinogen.
 Propylene oxide (CAS 75-56-9) Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Ethylene oxide (CAS 75-21-8) Cancer

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure Not classified.
Specific target organ toxicity - repeated exposure Not classified.
Aspiration hazard Not available.
Chronic effects Prolonged inhalation may be harmful.
Further information This product has no known adverse effect on human health.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components	Species	Test Results
2,6-Di-tert-butylphenol (CAS 128-39-2)		
Crustacea	EC50	
	Daphnia	0.45 mg/L, 48 Hours

Persistence and degradability No data is available on the degradability of this product.
Bioaccumulative potential No data available.
Partition coefficient n-octanol / water (log Kow)
 2,6-Di-tert-butylphenol 4.92
Mobility in soil No data available.
Mobility in general Not available.
Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations Dispose in accordance with all applicable regulations.
Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

1,4-Dioxane (CAS 123-91-1)	Listed.
Ethyl acrylate (CAS 140-88-5)	Listed.
Ethylene glycol (CAS 107-21-1)	Listed.
Ethylene oxide (CAS 75-21-8)	Listed.
Phenol (CAS 108-95-2)	Listed.
Propylene oxide (CAS 75-56-9)	Listed.

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

Ethylene oxide (CAS 75-21-8)	10 LBS
Phenol (CAS 108-95-2)	1000 LBS
Propylene oxide (CAS 75-56-9)	100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Ethylene oxide (CAS 75-21-8)	Cancer
	Reproductive toxicity
	Mutagenicity
	Central nervous system
	Skin sensitization
	Skin irritation
	Eye irritation
	respiratory tract irritation
	Acute toxicity
	Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No
	Delayed Hazard - No
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance	No
---	----

SARA 311/312 Hazardous chemical	No
--	----

SARA 313 (TRI reporting)	Not regulated.
---------------------------------	----------------

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Ethylene glycol (CAS 107-21-1)
Ethylene oxide (CAS 75-21-8)
Phenol (CAS 108-95-2)
Propylene oxide (CAS 75-56-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Ethylene oxide (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

Safe Drinking Water Act (SDWA)	Not regulated.
---------------------------------------	----------------

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Ethyl acrylate (CAS 140-88-5)	High priority
Ethylene oxide (CAS 75-21-8)	Other Flavoring Substances with OSHA PEL's
Phenol (CAS 108-95-2)	Low priority

Food and Drug Administration (FDA)	Not regulated.
---	----------------

US state regulations

See below

US - Illinois Chemical Safety Act: Listed substance

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Ethylene glycol (CAS 107-21-1)
Ethylene oxide (CAS 75-21-8)
Phenol (CAS 108-95-2)
Propylene oxide (CAS 75-56-9)

US - Louisiana Spill Reporting: Listed substance

1,4-Dioxane (CAS 123-91-1)	Listed.
Ethyl acrylate (CAS 140-88-5)	Listed.
Ethylene glycol (CAS 107-21-1)	Listed.
Ethylene oxide (CAS 75-21-8)	Listed.
Phenol (CAS 108-95-2)	Listed.
Propylene oxide (CAS 75-56-9)	Listed.

US - Minnesota Haz Subs: Listed substance

1,4-Dioxane (CAS 123-91-1)	1,4-DIOXANE (DIETHYLENE DIOXIDE) DIETHYLENE DIOXIDE (SEE DIOXANE)
Ethyl acrylate (CAS 140-88-5)	ETHYL ACRYLATE
Ethylene glycol (CAS 107-21-1)	ETHYLENE GLYCOL, PARTICULATE AND VAPOR
Ethylene oxide (CAS 75-21-8)	ETHYLENE OXIDE
Phenol (CAS 108-95-2)	PHENOL
Propylene oxide (CAS 75-56-9)	PROPYLENE OXIDE

US - New Jersey RTK - Substances: Listed substance

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Ethylene glycol (CAS 107-21-1)
Ethylene oxide (CAS 75-21-8)
Phenol (CAS 108-95-2)
Propylene oxide (CAS 75-56-9)

US - North Carolina Toxic Air Pollutants: Listed substance

1,4-Dioxane (CAS 123-91-1)
Ethylene oxide (CAS 75-21-8)
Phenol (CAS 108-95-2)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Ethylene oxide (CAS 75-21-8)
Propylene oxide (CAS 75-56-9)

US - Washington Chemical of High Concern to Children: Listed substance

1,4-Dioxane (CAS 123-91-1)
Ethylene glycol (CAS 107-21-1)
Phenol (CAS 108-95-2)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Ethylene glycol (CAS 107-21-1)
Ethylene oxide (CAS 75-21-8)
Phenol (CAS 108-95-2)
Propylene oxide (CAS 75-56-9)

US. New Jersey Worker and Community Right-to-Know Act

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Ethylene glycol (CAS 107-21-1)
Ethylene oxide (CAS 75-21-8)
Phenol (CAS 108-95-2)
Propylene oxide (CAS 75-56-9)

US. Pennsylvania RTK - Hazardous Substances

1,4-Dioxane (CAS 123-91-1)
Ethyl acrylate (CAS 140-88-5)
Ethylene glycol (CAS 107-21-1)
Ethylene oxide (CAS 75-21-8)
Phenol (CAS 108-95-2)
Propylene oxide (CAS 75-56-9)

US. Pennsylvania Worker and Community Right-to-Know Law

- 1,4-Dioxane (CAS 123-91-1)
- Ethyl acrylate (CAS 140-88-5)
- Ethylene glycol (CAS 107-21-1)
- Ethylene oxide (CAS 75-21-8)
- Phenol (CAS 108-95-2)
- Propylene oxide (CAS 75-56-9)

US. Rhode Island RTK

- 1,4-Dioxane (CAS 123-91-1)
- Ethyl acrylate (CAS 140-88-5)
- Ethylene glycol (CAS 107-21-1)
- Ethylene oxide (CAS 75-21-8)
- Phenol (CAS 108-95-2)
- Propylene oxide (CAS 75-56-9)

US. California Proposition 65



WARNING: This product can expose you to chemicals including 1,4-Dioxane, which is known to the State of California to cause cancer, and Ethylene oxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

- 1,4-Dioxane (CAS 123-91-1) Listed: January 1, 1988
- Ethyl acrylate (CAS 140-88-5) Listed: July 1, 1989
- Ethylene oxide (CAS 75-21-8) Listed: July 1, 1987
- Propylene oxide (CAS 75-56-9) Listed: October 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

- Ethylene glycol (CAS 107-21-1) Listed: June 19, 2015
- Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009

US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

- Ethylene oxide (CAS 75-21-8) Listed: February 27, 1987

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

- Ethylene oxide (CAS 75-21-8) Listed: August 7, 2009


Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

13-June-2019

Version #

01

Further information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

Prepared by

Dell Tech Laboratories Ltd. Phone: (519) 858-5021